

Version 1.0	Revision Date: 29.06.2018		S Number: 353078145	This version replaces all previous versions.
1. PROD	OUCT AND COMPANY IDE	INT	IFICATION	
Pro	Product name		HEADWAY MAX	x
Des	ign code	:	A14212C	
Mar	nufacturer or supplier's d	etai	ils	
Cor	npany	:	Syngenta SA (Pty	/) Ltd
Add	iress	:	P.O. Box 1044, N Brits 0250 South Africa	o. 4 Krokodildrift Avenue
Tele	Telephone		+27 12 2502 120	
Tele	efax	:	+27 12 2503 125	
Eme	ergency telephone number	:	+27 83 1233 911	
	commended use of the ch commended use		ical and restrictio Fungicide	ns on use

2. HAZARDS IDENTIFICATION

Most important hazards

Danger H319: Causes serious eye irritation. H360Df: May damage the unborn child. Suspected of damaging fertility. H410: Very toxic to aquatic life with long lasting effects.

Other hazards

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

4. FIRST AID MEASURES

General advice

: Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.



Version 1.0	Revision Date: 29.06.2018		DS Number: 1353078145	This version replaces all previous versions.
lf inha	If inhaled		respiration. Keep patient wa	regular or stopped, administer artificial
In cas	In case of skin contact		Wash off immed If skin irritation p	aminated clothing immediately. diately with plenty of water. persists, call a physician. ated clothing before re-use.
In cas	In case of eye contact		for at least 15 m Remove contac	
lf swa	If swallowed		If swallowed, se container or lab Do NOT induce	
and e	Most important symptoms and effects, both acute and delayed		Nonspecific No symptoms k	nown or expected.
Notes	Notes to physician		There is no spe Treat symptoma	cific antidote available. atically.
5. FIREFIC	GHTING MEASURES			
Suitat	ble extinguishing media	:	Use water spray carbon dioxide.	edia - small fires /, alcohol-resistant foam, dry chemical or edia - large fires it foam
Unsui media	table extinguishing	:	Do not use a so fire.	lid water stream as it may scatter and spread
Speci firefig	fic hazards during hting	:	will produce der products of com	contains combustible organic components, fire use black smoke containing hazardous ubustion (see section 10). composition products may be a hazard to
Speci metho	fic extinguishing ods	:	courses.	n-off from fire fighting to enter drains or water tainers exposed to fire with water spray.
	al protective equipment efighters	:	Wear full protec apparatus.	tive clothing and self-contained breathing



Versio	on	Revision Date: 29.06.2018		DS Number: 1353078145	This version replaces all previous versions.
6. AC	CIDEN	TAL RELEASE MEAS	SUF	RES	
р	rotectiv	al precautions, ve equipment and ncy procedures	:	Refer to protecti	ve measures listed in sections 7 and 8.
E	Environmental precautions		:	Do not flush into	eakage or spillage if safe to do so. o surface water or sanitary sewer system. ntaminates rivers and lakes or drains inform prities.
Methods and materials for containment and cleaning up		:	absorbent mater vermiculite) and local / national r Clean contamina Clean with deter	, and then collect with non-combustible rial, (e.g. sand, earth, diatomaceous earth, place in container for disposal according to egulations (see section 13). ated surface thoroughly. rgents. Avoid solvents. ose of contaminated wash water.	
7. HAI	NDLIN	G AND STORAGE			
A	Advice on safe handling		:	Avoid contact w When using do	ective measures against fire required. ith skin and eyes. not eat, drink or smoke. otection see section 8.
С	Conditic	ons for safe storage	:	Keep containers ventilated place Keep out of the	ge conditions required. tightly closed in a dry, cool and well- reach of children. food, drink and animal feedingstuffs.
	Further information on storage stability		:		hemically stable for at least 2 years when ginal unopened sales container at ambient

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Engineering measures	Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.
	The extent of these protection measures depends on the actual risks in use.
	Maintain air concentrations below occupational exposure standards. Where necessary, seek additional occupational hygiene advice.



Version 1.0	Revision Date: 29.06.2018		lumber: 078145	This version replaces all previous versions.
Perso	onal protective equip	ment		
Respi	iratory protection	req Wh	uired. Ien workers	espiratory protective equipment normally are facing concentrations above the exposure use appropriate certified respirators.
Hand	protection			
Br	aterial eak through time ove thickness	: >4	rile rubber 80 min mm	
Re	emarks	doe fea Ple bre glo cor dar thro the rep	es not only of tures and is ase observ akthrough t ves. Also tan ditions und nger of cuts ough time d thickness a asured for e	re gloves. The choice of an appropriate glove depend on its material but also on other quality s different from one producer to the other. e the instructions regarding permeability and time which are provided by the supplier of the ake into consideration the specific local ler which the product is used, such as the , abrasion, and the contact time. The break lepends amongst other things on the material, and the type of glove and therefore has to be each case. Gloves should be discarded and re is any indication of degradation or chemical
Еуе р	rotection	Alv	vays wear e	afety goggles eye protection when the potential for inadvertent th the product cannot be excluded.
Skin a	and body protection	cor the Re We	ncentration specific wo move and w ear as appro	vash contaminated clothing before re-use.
Prote	ctive measures	ove Wh	er the use on the use on the use of the use	hnical measures should always have priority f personal protective equipment. g personal protective equipment, seek ofessional advice.

9. PHYSICAL AND CHEMICAL PROPERTIES

: liquid
: light yellow to brown
: characteristic
: No data available



/ersion 1.0	Revision Date: 29.06.2018		OS Number: 353078145	This version replaces all previous version
рН		:	4 - 8 Concentration: 1	% w/v
Meltin	g point/range	:	No data available	9
Boilin	g point/boiling range	:	No data available	9
Flash	Flash point		78 °C (1003 hPa) 78 °C	
			Method: Pensky-	Martens closed cup
Evapo	ration rate	:	No data available	2
Flamm	nability (solid, gas)	:	No data available	2
	explosion limit / Upper ability limit	:	No data available	
	explosion limit / Lower ability limit	:	No data available	
Vapou	ir pressure	:	No data available	
Relativ	ve vapour density	:	No data available	2
Densit	y	:	1,088 g/cm3	
	lity(ies) lubility in other solvents	:	No data available	9
	on coefficient: n- bl/water	:	No data available	3
Auto-i	gnition temperature	:	265 °C	
Decon	nposition temperature	:	No data available)
Viscos Vis	sity cosity, dynamic	:	18 mPa.s (20 °C	;)
Explos	sive properties	:	Not explosive	
Oxidiz	ing properties	:	The substance o	r mixture is not classified as oxidizing.
Surfac	e tension	:	38,5 mN/m, 20 °(c

10. STABILITY AND REACTIVITY

Reactivity

: None reasonably foreseeable.



Version 1.0	Revision Date: 29.06.2018		DS Number: This version replaces all previous versions 353078145
Che	emical stability	:	Stable under normal conditions.
Pos	sibility of hazardous ctions	:	No dangerous reaction known under conditions of normal use
Cor	ditions to avoid	:	No decomposition if used as directed.
Inco	ompatible materials	:	None known.
	ardous decomposition ducts	:	No hazardous decomposition products are known.
1. TOX			١
	rmation on likely routes of osure	:	Ingestion Inhalation Skin contact Eye contact
Αςι	ite toxicity		
Pro	duct:		
Acu	te oral toxicity	:	LD50 (Rat, female): 2.176 mg/kg Assessment: The component/mixture is minimally toxic after single ingestion.
Acu	te inhalation toxicity	:	LC50 (Rat, male and female): > 2,68 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acu	te dermal toxicity	:	LD50 (Rat, male and female): > 5.050 mg/kg
Ski	n corrosion/irritation		
Pro	duct:		
Spe Res	cies sult	:	Rabbit No skin irritation
Ser	ious eye damage/eye irri	tati	on
<u>Pr</u> o	duct:		
Spe	cies	:	Rabbit
Res	sult	:	Irritation to eyes, reversing within 7 days
		atio	n
	piratory or skin sensitis		
Pro	piratory or skin sensitis <u>duct:</u> pcies		Guinea pig



Version	Revision Date:
1.0	29.06.2018

SDS Number: S1353078145 This version replaces all previous versions.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:		
Toxicity to fish	:	LC50 (Cyprinus carpio (Carp)): 1,282 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 3,2 mg/l Exposure time: 48 h
Toxicity to algae	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): 4,9 mg/l Exposure time: 96 h
		NOEC (Pseudokirchneriella subcapitata (green algae)): 0,48 mg/l End point: Growth rate Exposure time: 96 h

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Do not contaminate ponds, waterways or ditches with chemical or used container. Do not dispose of waste into sewer. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations.
Contaminated packaging	:	Empty remaining contents. Triple rinse containers. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.



Version F 1.0 2

Revision Date: 29.06.2018

SDS Number: S1353078145 This version replaces all previous versions.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG		
UN number	:	UN 3082
Proper shipping name		ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
		(PROPICONAZOLE AND AZOXYSTROBIN)
Class	:	9
Packing group	:	III
Labels	:	9
UN/ID No.	:	UN 3082
Proper shipping name	•	Environmentally hazardous substance, liquid, n.o.s. (PROPICONAZOLE AND AZOXYSTROBIN)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	•	964
Packing instruction (passenger aircraft)	:	964
Environmentally hazardous	:	ves
		,
IMDG-Code	_	
UN number		
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
		(PROPICONAZOLE AND AZOXYSTROBIN)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes
•		-

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture None known. Hazardous components : tetrahydrofurfuryl alcohol

which must be listed on the label

8/9



Version 1.0

Revision Date: 29.06.2018

SDS Number: S1353078145 This version replaces all previous versions.

16. OTHER INFORMATION

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 -Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch -Chilean Norm: NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS -Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

ZA / EN